



# HP V220 21.5-inch Monitor

Experience crisp detail on the Full HD V220 21.5-inch Monitor with a clear 1920 x 1080 resolution. The convenient connectivity, adaptability, and affordable price point are ideal for everyday business.



## Stunning clarity

- Optimize your work views on an ample 21.5-inch diagonal screen with Full HD 1920 x 1080 resolution and a 5M:1 Dynamic Contrast Ratio for a sharp, quality front of screen viewing experience.<sup>1</sup>

## Organized workspace

- Balance comfort and productivity with customizable tilt adjustment, an internal power supply, and mounting capabilities with the included 100mm VESA pattern to mount the display on a wall or to an arm or stand.<sup>2</sup>

## Convenient connectivity

- Easily connect devices with centralized DVI and VGA ports for digital access and legacy compatibility.

## Featuring

- Reduce power consumption and help lower costs with an intelligent, energy-efficient design that is ENERGY STAR® certified and EPEAT® Silver in China. The display also includes mercury-free backlights and arsenic-free glass.
- Rest assured that your IT investment is supported by a three-year standard limited warranty. To extend your protection, select optional HP Care Pack Services.
- Comfortably view content day or night with the integrated Low Blue Light function. TÜV Rheinland certified, the HP V220 lets you easily toggle the blue light option on or off at your convenience for optimal viewing.
- Perceive sharp, fluid movements with a flicker free monitor, allowing you to focus more on your work without a flicker.

## HP V220 21.5-inch Monitor Specifications Table



<b>Display Type</b>	TN with LED backlight
<b>Display Size (diagonal)</b>	54.61 cm (21.5")
<b>Viewing Angle</b>	65° vertical; 90° horizontal
<b>Brightness</b>	200 cd/m <sup>2</sup> <sup>1</sup>
<b>Contrast Ratio</b>	5000000:1 dynamic; 600:1 static <sup>1</sup>
<b>Response Ratio</b>	5 ms on/off <sup>1</sup>
<b>Product colour</b>	Jack black
<b>Aspect Ratio</b>	16:9
<b>Native Resolution</b>	FHD (1920 x 1080 @ 60 Hz)
<b>Resolutions Supported</b>	1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 480; 720 x 400; 800 x 600
<b>Display Features</b>	Anti-glare; Language selection; LED backlights; On-screen controls; Plug and Play; User programmable
<b>User Controls</b>	Brightness; Color control; Contrast; Exit; Image control; Information; Language; Management; Power control; Input control; Menu control
<b>Input Signal</b>	1 DVI-D; 1 VGA
<b>Input Power</b>	Input voltage 100 to 240 VAC
<b>Power Consumption</b>	23 W (maximum), 19 W (typical), 0.3 W (standby)
<b>Dimensions with Stand (W x D x H)</b>	50.5 x 17.56 x 38.1 cm
<b>Dimensions without Stand (W x D x H)</b>	50.5 x 4.55 x 31.02 cm
<b>Weight</b>	2.89 kg With stand.
<b>Ergonomic Features</b>	Tilt: -5 to +20°
<b>Physical security features</b>	Security lock-ready <sup>3</sup>
<b>Environmental</b>	Operating temperature: 5 to 35°C Operating humidity: 20 to 80% non-condensing
<b>Energy Efficiency Compliance</b>	ENERGY STAR® certified; EPEAT® Silver registered
<b>Certification and compliance</b>	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; FCC; ISC Mark; ISO 9241-307; KC; KCC; Microsoft WHQL Certification (Windows 10, Windows 8.1 and Windows 7); PSB; SEPA; SmartWay Transport Partnership (NA); TUV-S; UL; VCCI; Vietnam MEPS; WEEE; Low blue light
<b>Environmental Specifications</b>	Arsenic-free display glass; Low halogen; Mercury-free display backlights <sup>2</sup>
<b>What's in the box</b>	AC power cord; Documentation; VGA cable

See important legal disclaimers on the last page

## Recommended Accessories and Services

---

### HP Single Monitor Arm



The HP Single Monitor Arm is the perfect desk accessory for your work life. Sleek and streamlined, the HP Single Monitor Arm is designed to complement the way you work.

**Product number: BT861AA**

---

### HP Business PC Security Lock v2 Kit



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the HP Business PC Security Lock v2 Kit.

**Product number: N3R93AA**

---

### HP 5-year Next Business Day Onsite Standard Monitor Hardware Support



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit [www.hp.com/go/cpc](http://www.hp.com/go/cpc).

**Product number: U7935E**

---

## Messaging Footnotes

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> Mounting hardware sold separately. Options sold separately.

<sup>3</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country. See HP's 3rd party option store for solar energy accessory at [www.hp.com/go/options](http://www.hp.com/go/options)

<sup>4</sup> HP Care Pack Services are sold separately. Service levels and response times for HP Care Pack Services may vary depending on your geographic location. Service starts from date of hardware purchase. Restrictions and limitations apply. See [www.hp.com/go/cpc](http://www.hp.com/go/cpc) for details. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

## Technical Specifications Footnotes

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

<sup>3</sup> Lock is sold separately.