



SC 100 Series

Activate your potential

The SC 100 headsets make a great impression. From their contemporary sleek styling to great sound for calls and multimedia, they excel in all areas: at your workstation, on the move around the office or on your commute to work, there is a variant tailored to your needs. With discreet boom arm design, adjustable fit and a choice between acoustic foam or soft leatherette ear pads, the SC 100 headsets are built for flexibility and comfort. Add the productivity benefits of Sennheiser Voice Clarity, a noise-cancelling microphone for optimized speech and Sennheiser HD stereo* sound, and you have a convenient single solution for all your audio needs. Designed with today's work/life balance in mind, the SC 100 Series makes busy days more effective and listening to music while you work more enjoyable – all in one headset.

BENEFITS & FEATURES

- **Looks as good in the office as on the daily commute** With sleek contemporary design and bendable boom arm that folds discreetly into the headband
- **Sennheiser HD stereo* sound**
For calls or listening to music while working
- **Flexible device connectivity**
With options of 3.5 mm jack**, USB-A or USB-C
- **Easy transportation or storage**
Thanks to an innovative fold-flat ear cup design
- **Maximum comfort**
With soft leatherette ear pads***

* Available on dual-sided variants

** Available on SC 1X5 variants

*** Available as accessories for SC 1X0 variants



The SC 100 Series offers, with its 10 variants, connectivity to a variety of devices. See all headset variants and connectivity options in the table overview on page 3.

See more at

www.sennheiser.com/sc-100-series





SC 100 Series

Product Data

General Data

| | |
|----------------|--|
| Wearing Style | Headband – single and double sided variants. See table overview. |
| Color | Black with white |
| Headset weight | Single-sided, foam ear pad 62 g / 2.20 oz Single-sided, leatherette ear pad 64 g / 2.26 oz Double-sided, foam ear pads 95 g / 3.34 oz Double-sided, leatherette ear pads 97 g / 3.44 oz |
| Warranty | 2 years |

Audio

| | |
|----------------------------|--|
| Sennheiser Voice Clarity | For a clear and natural listening experience |
| Microphone | Noise-cancelling microphone for optimal speech transmission |
| Microphone frequency range | 100 – 10,000 Hz |
| Speaker type | Dynamic, neodymium magnet |
| Speaker frequency response | 20 – 20,000 Hz |
| Sound pressure | Max. 115 dB SPL |
| Sound enhancement profiles | Automatically adapt and optimize sound for both communication and multimedia/music |

Hearing Protection

| | |
|--|---|
| EU Noise at Work limiter In compliance with EU Noise at Work legislation (Directive 2003/10/EC) | Enhanced audio protection preventing listening fatigue, average 85 dB over a work day |
| ActiveGard® Technology | Protects users against acoustic injury caused by sudden sound burst on the line |

Easy Call Management

| | |
|----------------------|---|
| In-line call control | Answer/end/redial call, volume up/down, microphone mute |
|----------------------|---|

Content of Delivery

| | |
|-------------------|---|
| What's in the box | |
| SC 130 / SC 160 | Headset, acoustic foam ear pad(s) mounted on headset cable with call control (USB A/C), safety guide, quick guide |
| SC 135 / SC 165 | Headset, acoustic leatherette ear pad(s) mounted on headset cable/detachable call control (USB A/C), carry pouch, safety guide, quick guide |

Cloud Based Asset Management






| | |
|--|--|
| Sennheiser HeadSetup™ Pro Manager (SaaS) | Manage, update and configure your Sennheiser audio devices from one location: www.sennheiser.com/headsetup-pro-manager |
|--|--|

For information about accessories and spare parts go to: www.sennheiser.com/sc-100-series



SC 100 Series



| Connects to | Product name /Art.no | Description | Details | EAN no. / UPC no. |
|---|---------------------------------------|--|---|---|
| PC via USB  | SC 130 USB Art. No 508314 | Single-sided USB headset with in-line call control | Optimized for UC & Certified for Skype for Business | EAN: 4044155240771 UPC: 615104318007 |
| | SC 160 USB Art. No 508315 | Double-sided USB headset with in-line call control | | EAN: 4044155240788 UPC: 615104318014 |
| PC, smartphone and tablet via USB-C*  | SC 130 USB-C Art. No 508353 | Single-sided USB-C headset with in-line call control | Optimized for UC & Certified for Skype for Business** | EAN: 4044155244816 UPC: 615104327283 |
| | SC 160 USB-C Art. No 508354 | Double-sided USB-C headset with in-line call control | | EAN: 4044155244823 UPC: 615104327405 |
| PC, smartphone and tablet via USB/3.5 mm jack  | SC 135 USB Art. No 508316 | Single-sided headset with 3.5 mm jack and detachable USB cable with in-line call control | Optimized for UC & Certified for Skype for Business** | EAN: 4044155240795 UPC: 615104318021 |
| | SC 165 USB Art. No 508317 | Double-sided headset with 3.5 mm jack and detachable USB cable with in-line call control | | EAN: 4044155240801 UPC: 615104318038 |
| PC, smartphone and tablet via USB-C*/3.5 mm jack  | SC 135 USB-C Art. No 508355 | Single-sided headset with 3.5 mm jack and detachable USB-C cable with in-line call control | Offering added mobility and flexibility | EAN: 4044155244830 UPC: 615104327412 |
| | SC 165 USB-C Art. No 508356 | Double-sided headset with 3.5 mm jack and detachable USB-C cable with in-line call control | | EAN: 4044155244847 UPC: 615104327429 |
| Smartphone and tablet via 3.5 mm jack  | SC 135 Art. No 508318 | Single-sided headset with 3.5 mm jack | For phones/tablets with 3.5 mm connector*** | EAN: 4044155240818 UPC: 615104318045 |
| | SC 165 Art. No 508319 | Double-sided headset with 3.5 mm jack | USB/USB-C controller cable available as accessory | EAN: 4044155240825 UPC: 615104318052 |

* USB-C connectivity is optimized for use with PC and Mac. When USB-C is connected to smartphone or tablet performance is device dependent.

** Skype for Business Certification applies when USB/USB-C is connected to PC or Mac.

*** Compatible with other connection types when adaptor is used